



BEARING BOWER CORP.

1.378 Inch | 35 Millimeter x 1.689 Inch | 42.9
Millimeter x 1.874 Inch | 47.6 Millimeter NTN
UCP207D1 Pillow Block Bearings



UCP207D1 Bearing 2D drawings and 3D CAD models

Bearing No. UCP207D1

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	1.6
EAN	4547359001570
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	14 Millimeter
Relubricatable	Yes
Insert Part Number	UC207D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row Light Duty Wide Inner Race Has Flinger
Long Description	2 Bolt Pillow Block; 35MM Bore; 47.6MM Base to Center Height; Set Screw Mount; Ball Bearing;



BEARING BOWER CORP.

	Relubricatable; Cast Iron; Single Lip Land Riding; Non-expansion
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	UCP207D1
Weight / LBS	3.527
B	1.874 Inch 47.6 Millimeter
Nominal Bolt Center to Center	5 Inch 127 Millimeter
Actual Bolt Center to Center	5 Inch 127 Millimeter
d	1.378 Inch 35 Millimeter
D	1.689 Inch 42.9 Millimeter
Bolt Spacing Minimum	0 Inch 0 Millimeter
Bolt Spacing Maximum	0 Inch 0 Millimeter
mounting:	Two-Bolt Base
overall height:	93 mm
bore diameter:	35 mm
finish/coating:	Uncoated
bore type:	Round
overall width:	1-11/16 in
base to bore centerline:	1.8740 in
operating temperature range:	-15 to +100 ° C
duty type:	Light Duty
base width:	48 mm
housing material:	Cast Iron
bolt center-to-center length:	127 mm



BEARING BOWER CORP.

locking device:	Set Screw
lubrication type:	Lubrication Fitting
seal type:	Contact with Flinger
series:	UCP2
expansion type:	Non-Expansion Bearing (Fixed)
replacement bearing:	UC207D1
overall length:	167 mm